

IF IT WORX, IT'S  
**UTAX**

# THE NEW 256i/306i CAN DO EVERYTHING

THAT A MULTIFUNCTIONAL SYSTEM SHOULD.  
IT'S PRACTICALLY SELF-EXPLANATORY.



DIGITAL ●●●●●  
MULTIFUNCTIONAL SYSTEM

**256i/306i**

Copy / Print / Scan / Fax  
A3



# FINALLY, A MULTIFUNCTIONAL SYSTEM THAT YOU CAN USE RIGHT AWAY.

WITH THE NEW 256i/306i YOU GET A TALENTED ALL-ROUNDER THAT MAKES YOUR OFFICE LIFE EASY. AND IT SAVES YOU TIME, SPACE AND ENERGY!

Enjoy using an A3 multifunctional system without having to be a system administrator or reading through extensive user manuals. Your new 256i/306i almost works by itself. It can be used intuitively and is practically self-explanatory, whether you want to copy, print or scan.

And it can be easily integrated into almost any network environment. The Quick Setup Wizard guides you through, step by step.

But there are many more advantages that make the compact 256i/306i the ideal working partner in small departments or at the reception, for example, the HyPAS<sup>1)</sup> interface. It allows you to adapt the system to your specific needs and, with the integration of the optional Scan2OCR software, create text searchable documents while scanning. It's easy. You no longer need to bother with typing or waste time searching for documents.

And if you want to use other features such as Follow-Me-Printing or archiving solutions, you can add them later if you need to.

You can even assign your jobs to individual projects thanks to an authentication function. This helps you to control costs while ensuring better security for sensitive data.

Speaking of security: Your printouts are safe from prying eyes thanks to the 'private print' feature and direct printing from a USB stick. Authentication for control of user authorization is also possible, for example, with the Card Authentication Kit (B)\*\*.



Even with all of these flexible features and multifunctional capabilities, the 256i/306i operates at a low noise level and is highly energy efficient, running on just 0.9 Watts in sleep mode, with low weekly average consumption rates.



**500-sheet finisher**  
Create dispatch-ready, stapled documents



◀ **1 x 500-sheet or 2 x 500-sheet paper cassettes, alternative: cabinet no. 62** (without illustration)

# 256i/306i

## MULTIFUNCTIONAL SYSTEM

Model for entry to mid-level volumes

### A3

Equipped with 1 x 500-sheet universal cassette, duplex unit, original feeder and job separator as standard



Intuitive operation



Automatic document processing



High security

## WHAT IT'LL DO FOR YOU:

- Intuitive and customisable: The colour touch panel guarantees user-friendly operation. Commonly used features can be stored as favourites and recalled when needed.
- Productive and efficient: Copy and print up to 25 or 30 A4 pages per minute and scan up to 40 A4 pages per minute.
- Easy, automatic features: Original feeder with auto reverse function offering a capacity of 50 pages scans in black/white or colour, single or double-sided. Over 50 documents can be scanned for one job, if required.
- Seamless communication: The optional fax kit has a wide range of functions and ensures excellent communication.
- Versatile and flexible: Up to 3 x 500-sheet universal cassettes\* and the 100-sheet multi bypass can process paper weights between 60 and 163 g/m<sup>2</sup> or 256 g/m<sup>2</sup>, respectively.
- Economical use of resources: Long-lasting components ensure that the toner cartridge is the only part that needs to be replaced on a regular basis.



<sup>1)</sup>requires optional memory

\*optional

\*\*optional, without illustration

# 256i/306i

## TECHNICAL DATA

### General

<b>Type</b>	Desktop
<b>Function</b>	Copy, print, scan, optional: fax
<b>Print technology</b>	Laser b/w
<b>Original feeder</b>	50 sheet A4 (standard)
<b>Original format</b>	max A3 from platen glass
<b>Copy/print speed</b>	256i: max 25 A4 pages/min and max 12 A3 pages/min 306i: max 30 A4 pages/min and max 15 A3 pages/min
<b>1st page</b>	7.8 seconds*
<b>Warm-up time</b>	20 seconds
<b>Copy resolution</b>	600 x 600 dpi
<b>Greyscales</b>	256
<b>Paper feed</b>	1 x 500 sheet universal cassette (A5R-A3), 100 sheet multi-bypass [A6R-A3])
<b>Paper weights</b>	Universal cassette 60-163 g/m <sup>2</sup> , multi-bypass 45-256 g/m <sup>2</sup> , duplex 60-163 g/m <sup>2</sup>
<b>Paper output</b>	250 sheet A4
<b>Job separator</b>	50 sheet A4 (standard)
<b>System memory</b>	1 GB RAM, max 2 GB RAM
<b>Continuous copying</b>	1-999 copies
<b>Zoom</b>	25%-400% in steps of 1%
<b>Functions</b>	Adjustable touch screen, duplex, direct printing from/scanning to USB stick, job reservation, N-up, Favorites, 100 management codes/20 easy logins, etc.

### Dimensions/Weight

<b>Dimensions</b>	694 x 590 x 590 mm (H x W x D)
<b>Weight</b>	approx. 52 kg

### Environment

<b>Mains voltage</b>	220/240 V, 50 Hz
<b>Power consumption</b>	approx. 530/560 W in operation (256i/306i), approx. 114 W in stand-by mode, approx. 0.9 W in sleep mode
<b>Noise level</b>	approx. 59.8 dB(A) in operation, approx. 44 dB(A) in stand-by mode (ISO 7779/9296)
<b>Safety</b>	GS/TÜV, CE

### Print System

<b>Type</b>	Integrated within the system
<b>Print format</b>	A6R-A3
<b>Print resolution</b>	600 x 600 dpi
<b>Processor</b>	PowerPC 464/800 MHz
<b>Interfaces</b>	USB 2.0, 10/100/1000BaseTX, USB host (2), CF slot
<b>Network protocols</b>	TCP/IP, Net BEUI, EtherTalk
<b>Operating systems</b>	Windows 2000, XP, Vista, Windows 7, Server 2003/2008 R2, Novell NetWare, Linux, Mac OS X
<b>Emulations</b>	PCL6 (5e, XL), KPDL 3 (PostScript 3 compatible), XPS, PRESCRIBE IIe
<b>Functions</b>	PDF/XPS direct printing, printing of e-mails, private printing, barcode printing

### Scan system

<b>Scan type</b>	CCD colour and b/w
<b>Scan format</b>	max A3
<b>Scan speed</b>	b/w: max 40/14 A4 originals/min (simplex/duplex) with 300 dpi, colour: max 20/9 A4 originals/min (simplex/duplex) with 300 dpi
<b>Scan resolution</b>	200 dpi, 300 dpi, 400 dpi, 600 dpi
<b>Scan mode</b>	Photo, text, photo/text, OCR
<b>File types</b>	TIFF, PDF, JPEG, XPS
<b>Interfaces</b>	10/100/1000BaseTX, USB 2.0
<b>Network protocol</b>	TCP/IP
<b>Operating systems</b>	Windows XP, Vista, Windows 7, Server 2003/2008 R2, Novell NetWare, Linux, Mac OS X
<b>Functions</b>	Scan to SMB, scan to e-mail, scan to FTP, scan to USB, TWAIN scan, WIA scan, SMTP authentication, LDAP

### Optional fax system (U)

<b>Compatibility</b>	Super G3
<b>Original format</b>	max A3
<b>Modem speed</b>	33.6 kbps
<b>Transmission speed</b>	3 seconds or less using JBIG
<b>Compression method</b>	JBIG, MMR, MR, MH
<b>Fax resolution</b>	Standard (200 x 100 dpi), fine (200 x 200 dpi), super fine (200 x 400 dpi), ultra fine (400 x 400 dpi)
<b>Fax memory</b>	16 MB (9.5 MB image memory)
<b>Abbreviated dial</b>	200 numbers
<b>One touch dial</b>	100 numbers
<b>Group dial</b>	50 numbers
<b>Operating systems</b>	Windows XP, Vista, Windows 7, Server 2003/2008 R2
<b>Functions</b>	Network fax driver, automatic redialling, delayed transmission

### Options

<b>Finisher</b>	DF-470 internal finisher (capacity: 500 sheet A4, stapling max 50 sheet A4)
<b>Paper feed</b>	PF-470 (max 1 x 500 sheet universal cassette [A5R-A3]), PF-471 (max 2 x 500 sheet universal cassettes [A5R-A3])
<b>Other options</b>	Card authentication kit (B), card reader holder (B), UG-33 ThinPrint® kit, IB-50 Gigabit Ethernet card, cabinet no. 62
	To enable HyPAS functionality additional memory is required.
	The 256i and the 306i are manufactured in accordance with the requirements of the Energy Star Program.

\*Depending on operating status.

Specifications subject to change without notice.  
 Image shows machine with optional accessories.



Since 1961 UTAX GmbH has been a brand for professional office technology. As a partner to retailers and medium-sized companies, we specialise in sales and integration of printing, copying and multifunctional systems in business IT. When advising our customers, we always strive to support their strategic business objectives with UTAX solutions. In addition to hardware, UTAX also develops customized software for efficient document management.

UTAX recommends the use of original UTAX accessories for trouble-free operation of your system. For recommended print media refer to the user manual. UTAX and the UTAX logo are registered trademarks of UTAX GmbH. All other brand names referred to are registered trademarks of the respective manufacturers.

UTAX GmbH Norderstedt  
[www.utax.com](http://www.utax.com)

Your UTAX dealer