

IF IT WORX, IT'S



FINALLY THERE IS A SYSTEM THAT
**ADAPTS TO THE
USER'S NEEDS –**
INSTEAD OF THE
OTHER WAY AROUND.



MULTIFUNCTIONAL SYSTEM

CD 5140/5240



MULTIFUNCTIONAL SYSTEM CD 5140/5240

FLEXIBILITY IS THE FASTEST ROUTE TO GETTING BETTER RESULTS.



THERE IS NO NEED TO CHANGE A TEAM THAT IS WORKING WELL UNLESS YOU ARE GOING TO INTRODUCE ONE OF THE TWO A4 B/W MULTIFUNCTIONAL SYSTEMS, CD 5140 OR CD 5240. WHAT MAKES THEM SPECIAL IS THEIR HYPAS FEATURE. THIS ALLOWS THEM TO IMPLEMENT NUMEROUS USER-SPECIFIC WORKFLOWS WITH EASE WHILE AT THE SAME TIME IMPROVING FLEXIBILITY AND USER FRIENDLINESS, ENSURING THAT EVERYTHING WORKS EVEN BETTER THAN EVER.

Specifically designed for use in medium-sized teams and departments with high print volumes, both systems impress with a productive copy and print speed of 40 A4 pages per minute or 24.5 A4 pages in duplex mode. CD 5140 is a 3-in-1 system providing copy, print and colour scan functions; the 4-in-1 CD 5240 takes it even one step

further by also offering a fax option. Both systems are ready to go after a very short warm-up time of only 22 seconds, delivering the first page after just 11.5 seconds. The document feeder with a capacity of 50 pages (which it can also reverse automatically), the duplex unit for two-sided printing and copying, as well as network printing capability are standard features you will highly appreciate. And when it comes to scanning, the devices are also sure to win your full approval: The function package includes scan to PC, scan to e-mail, scan to FTP, scan to USB and TWAIN and WIA scan. The systems normally offer a paper capacity of 600 sheets. This can be expanded to up to 2,100 sheets for formats A6R to A4 and paper weights up to 220 g/m². The standard system memory is 1,024 MB RAM, which can be doubled as an option.

MULTIFUNCTIONAL SYSTEM
CD 5140/5240

Max 3 x 500 sheet universal cassette*
Original feeder with auto reverse function
offering a capacity of 50 pages
Card Authentication Kit (B)**,
Card Reader Holder (C)**,
UG-33 ThinPrint Kit**,
Cabinet**



*option/**option
without illustration

IF YOU'RE LOOKING FOR PLENTY OF FLEXIBILITY, YOUR SEARCH IS OVER:

CD 5140: Copier, printer, scanner/CD 5240: Copier, printer, scanner, fax; both units come with a document feeder, duplex mode, 1 x 500 sheet universal cassette and 100 sheet multi-bypass

- Intuitive operation using a large colour touch screen
- HyPAS feature for integrating complex workflows that can be called up at the touch of a button
- Multifunctional yet compact in size, incl. colour scanning
- Highly productive copying/printing (max 40 A4 pages/min)
- USB host for direct scanning to and printing from a USB stick
- Up to 20 favourites/programs
- 100 management codes, 20 easy logins
- High system memory ensures smooth job execution
- High paper capacity (max 2,100 sheets) and various paper weights (up to 220 g/m²)



MULTIFUNCTIONAL SYSTEM
CD 5140/5240

IF IT WORX, IT'S



GENERAL

Type	Desktop
Function	CD 5140: Copy, print, scan CD 5240: Copy, print, scan, fax
Print technology	Laser b/w
Original format	max A4 from platen glass
Original feeder	50 sheet A4 (standard), 50–120 g/m ² (simplex), 50–110 g/m ² (duplex)
Copy/print speed	max 40 A4 pages/min, duplex: max 24.5 A4 pages/min
1st page	7 seconds (copy)*, 11.5 seconds (print)*
Warm-up time	22 seconds
Copy resolution	600 x 600 dpi
Greyscales	256
Paper feed	1 x 500 sheet universal cassette (A6R–A4), 100 sheet multi-bypass (A6R–A4 [min 70 x 148 mm, max 216 x 356 mm])
Paper weights	Universal cassette 60–120 g/m ² , multi-bypass 60–220 g/m ² , duplex 60–120 g/m ²
Paper output	500 sheet A4
System memory	1,024 MB RAM, max 2,048 MB RAM
Continuous copying	1–999 copies
Zoom	25%–400% in steps of 1%
Functions	Colour touch screen, duplex, job reservation, 20 favourites (programs), ID card copy, scan once - copy many, continuous scan, N-up, 100 management codes incl. 20 easy log-ins

DIMENSIONS/WEIGHT

Dimensions	567 x 494 x 497 mm (H x W x D)
Weight	approx. 26 kg

Your UTAX dealer

ENVIRONMENT

Mains voltage	220/240 V, 50/60 Hz
Power consumption	approx. 1,058 W max, approx. 637/642 W (CD 5140/5240) in operation, approx. 90/93 (CD 5140/5240) W in stand-by mode, approx. 14/15 W (CD 5140/5240) in sleep mode
Noise level	approx. 55 dB(A) in operation, approx. 32 dB(A) in stand-by mode (ISO 7779/9296)
Safety	GS/TÜV, CE

PRINT SYSTEM

Type	Integrated within the system
Print format	A6R–A4
Print resolution	600 x 600 dpi
Processor	PowerPC 464/800 MHz
Interfaces	USB 2.0, 10/100/1000BaseTX, USB host (2), CF slot
Network protocols	TCP/IP, IPX/SPX, Net BEUI, EtherTalk
Operating systems	Windows 2000, XP, Vista, Windows 7, Server 2000/2003/2008 R2, Novell NetWare, Linux, Mac ex OS 10.4
Emulations	PCL6, KPDLL 3 (PostScript 3 compatible), XPS, PRESCRIBE IIe
Functions	USB direct printing, printing of e-mails, private printing, barcode printing, WSD/internet printing

SCAN SYSTEM

Scan type	CCD colour and b/w
Scan format	max A4
Scan speed	b/w: max 35/18 A4 originals/min (simplex/duplex) with 300 dpi, colour: max 25/14 A4 originals/min (simplex/duplex) with 300 dpi
Scan resolution	200 dpi, 300 dpi, 400 dpi, 600 dpi
Scan mode	Photo, text, photo/text, OCR
File types	TIFF, PDF, JPEG, XPS
Interface	10/100/1000BaseTX
Network protocol	TCP/IP
Operating systems	Windows XP, Vista, Windows 7, Server 2003/2008 R2
Functions	Scan to SMB, scan to e-mail, scan to FTP, scan to USB, TWAIN scan, WIA scan (Windows Vista, Windows 7, Server 2008 R2), SMTP authentication, LDAP

FAX SYSTEM (CD 5240 ONLY)

Compatibility	Super G3
Original format	max A4
Modem speed	33,6 kbps
Transmission speed	3 seconds or less using JBIG
Compression method	JBIG, MMR, MR, MH
Fax resolution	Standard (200 x 100 dpi), fine (200 x 200 dpi), super fine (200 x 400 dpi), ultra fine (400 x 400 dpi)
Fax memory	4 MB
Abbreviated dial	200 numbers
One touch dial	100 numbers
Group dial	20 numbers
Operating systems	Windows XP, Vista, Windows 7, Server 2003/2008 R2
Functions	Network fax driver, automatic redialling, delayed transmission

OPTIONS

Paper feed	max 3 x PF-310+ (500 sheet universal cassettes (A5R–A4, 60–120 g/m ²))
Other options	Card authentication kit (B), Card reader holder (C), UG-33 ThinPrint® kit, cabinet no. 64

*Depending on operating status.

Specifications subject to change without notice. Image shows machine with optional accessories. The CD 5140 and the CD 5240 are manufactured in accordance with the requirements of the Energy Star Program.

Since 1961 UTAX GmbH has been a brand for professional office technology. As a partner to retailers and medium-sized companies, we specialise in sales and integration of printing, copying and multifunctional systems in business IT. When advising our customers, we always strive to support their strategic business objectives with UTAX solutions. In addition to hardware, UTAX also develops customised software for efficient document management.

UTAX GmbH Norderstedt
www.utax.com



HyPAS™

UTAX recommends the use of original UTAX accessories for trouble-free operation of your system. For recommended print media refer to the user manual. UTAX and the UTAX logo are registered trademarks of UTAX GmbH. All other brand names referred to are registered trademarks of the respective manufacturers.