

IF IT WORX, IT'S



INTRODUCE AN EXCEPTIONAL NEW
MEMBER TO THE TEAM –
YOU'LL BE AMAZED!



MULTIFUNCTIONAL SYSTEM

CD 5140L/5240L



MULTIFUNCTIONAL SYSTEM CD 5140L/5240L

THE MOST PRODUCTIVE WAY OF IMPROVING TEAM DYNAMICS.



SUCCESSFUL TEAMWORK MEANS THAT EVERYBODY IS GETTING ALONG AND SUPPORTING ONE ANOTHER. THE TWO A4 B/W MULTIFUNCTIONAL SYSTEMS CD 5140L AND CD 5240L SMOOTHLY INTEGRATE INTO MEDIUM-SIZED TEAMS AND DEPARTMENTS AND HELP TO IMPROVE EXISTING WORKFLOWS.

The CD 5140L is a 3-in-1 system providing copy, print and colour scan functions. The 4-in-1 CD 5240L offers an additional fax feature. Both systems copy and print at a speed of 40 A4 pages per minute or 24.5 A4 pages in duplex mode, speeding up processes in any department. The short warm-up time of 22 seconds and quick printing of the first page after only 9.5 seconds further helps to reduce idle times. Equipped with a document feeder for up to 50 original documents, a reverse function, duplex mode for two-sided,

paper-saving printing and network printing, both systems are sure to make friends fast in the office. 'Fast' really is the keyword here, since all functions help to significantly raise the level of efficiency. Even the standard paper capacity of 600 sheets, upgradable to 2,100 sheets, saves time because it means that paper only needs to be refilled very rarely. And, for even more printing flexibility, the systems can process paper weights of up to 220 g/m² and paper formats from A6R to A4. But speed is not everything: When it comes to quality, all team members are sure to be satisfied by scans rendered in up to 600 x 600 dpi and a printing resolution of 1,200 x 1,200 dpi. Diverse scan functions such as scan to PC, scan to e-mail, scan to FTP, scan to USB, TWAIN and WIA scan and a high level of security thanks to the optional Card Authentication Kit and various other security features round off the feature range of the new team players.

MULTIFUNCTIONAL SYSTEM
CD 5140L/5240L

Max 3 x 500 sheet universal cassette*

Original feeder with auto reverse function
offering a capacity of 50 pages

Card Authentication Kit (B)** ,
UG-33 ThinPrint Kit** ,
Cabinet**



ALL A DREAM TEAM NEEDS – PLUS A LITTLE EXTRA.

CD 5140L: Copier, printer, colour scanner/CD 5240L: Copier, printer, colour scanner, fax; both units come with a document feeder, duplex mode, 1 x 500 sheet universal cassette and 100 sheet multi-bypass

- Highly multifunctional and productive yet compact in size, incl. colour scanning
- Well-designed control panel for ease of operation
- 'ID card copy' program function integrated into system
- USB host supports Scan to USB and direct printing from a USB stick
- High max paper capacity of 2,100 sheets increases productivity
- Paper weights up to 220 g/m² supported



option/option without illustration*

MULTIFUNCTIONAL SYSTEM
CD 5140L/5240L

IF IT WORX, IT'S



GENERAL

Type	Desktop
Function	CD 5140L: Copy, print, scan CD 5240L: Copy, print, scan, fax
Print technology	Laser b/w
Original format	max A4 from platen glass
Original feeder	50 sheet A4 (standard), 50-120 g/m ² (simplex), 50-110 g/m ² (duplex)
Copy/print speed	max 40 A4 pages/min, duplex: max 24,5 A4 pages/min
1st page	7 seconds (copy)*, 9.5 seconds (print)*
Warm-up time	22 seconds
Copy resolution	600 x 600 dpi
Greyscales	256
Paper feed	1 x 500 sheet universal cassette (A6R-A4), 100 sheet multi-bypass (A6R-A4 [min 70 x 148 mm, max 216 x 356 mm])
Paper weights	Universal cassette 60-120 g/m ² , multi-bypass 60-220 g/m ² , duplex 60-120 g/m ²
Paper output	500 sheet A4
System memory	256 MB RAM, 768 MB RAM
Continuous copying	1-999 copies
Zoom	25 %–400 % in steps of 1 %
Functions	Duplex, job reservation, job programs, ID card copy, scan once – copy many, continuous scan, N-up, 20 management codes

DIMENSIONS/WEIGHT

Dimensions	545 x 494 x 497 mm (H x W x D)
Weight	approx. 26 kg

Your UTAX dealer

ENVIRONMENT

Mains voltage	220/240 V, 50/60 Hz
Power consumption	approx. 1,046 W max, approx. 677 W in operation, approx. 96/98 W (CD 5140L/5240L) in stand-by mode, approx. 7/11 W (CD 5140L/5240L) in sleep mode
Noise level	approx. 50.7/50.5 (CD 5140L/5240L) dB(A) in operation, approx. 25.4 dB(A) in stand-by mode (ISO 7779/9296)
Safety	GS/TÜV, CE

PRINT SYSTEM

Type	Integrated within the system
Print format	A6R-A4
Print resolution	1,200 x 1,200 dpi
Processor	PowerPC 440/667 MHz
Interfaces	USB 2.0, 10/100BaseTX, USB host, CF slot
Network protocols	TCP/IP, IPX/SPX, Net BEUI, EtherTalk
Operating systems	Windows 2000, XP, Vista, Windows 7, Server 2000/2003/2008 R2, Novell NetWare, Linux, Mac OS 10.4
Emulations	PCL6, KPDL 3 (PostScript 3 compatible), XPS, PRESCRIBE IIe
Functions	USB direct printing, printing of e-mails, private printing (with additional memory), barcode printing, WSD/internet printing

SCAN SYSTEM

Scan type	CCD colour and b/w
Scan format	max A4
Scan speed	b/w: max 35/18 A4 originals/min (simplex/duplex) with 300 dpi, colour: max 25/14 A4 originals/min (simplex/duplex) with 300 dpi
Scan resolution	200 dpi, 300 dpi, 400 dpi, 600 dpi
Scan mode	Photo, text, photo/text, OCR
File types	TIFF, PDF, JPEG, XPS
Interface	10/100BaseTX
Network protocol	TCP/IP
Operating systems	Windows XP, Vista, Windows 7, Server 2003/2008 R2
Functions	Scan to SMB, scan to e-mail, scan to FTP, scan to USB, TWAIN scan, WIA scan (Windows Vista, Windows 7, Server 2008 R2), SMTP authentication, LDAP

FAX SYSTEM (CD 5240L ONLY)

Compatibility	Super G3
Original format	max. A4
Modem speed	33,6 kbps
Transmission speed	3 seconds or less using JBIG
Compression method	JBIG, MMR, MR, MH
Fax resolution	Standard (200 x 100 dpi), fine (200 x 200 dpi), super fine (200 x 400 dpi), ultra fine (400 x 400 dpi)
Fax memory	3.5 MB
Abbreviated dial	100 numbers
One touch dial	22 numbers
Group dial	20 numbers
Operating systems	Windows XP, Vista, Windows 7, Server 2003/2008 R2
Functions	Network fax driver, automatic redialling, delayed transmission

OPTIONS

Paper feed	max 3 x PF-310+ (500 sheet universal cassettes [A5R-A4, 60-120 g/m ²])
Other options	Card authentication kit (B), UT-110G Gigabit Ethernet card (CD 5140L only), cabinet no. 64

*Depending on operating status.

**For copy, print, scan, fax.

Specifications subject to change without notice. Image shows machine with optional accessories. The CD 5140L and CD 5240L are manufactured in accordance with the requirements of the Energy Star Program.

Since 1961 UTAX GmbH has been a brand for professional office technology. As a partner to retailers and medium-sized companies, we specialise in sales and integration of printing, copying and multifunctional systems in business IT. When advising our customers, we always strive to support their strategic business objectives with UTAX solutions. In addition to hardware, UTAX also develops customised software for efficient document management.

UTAX GmbH Norderstedt
www.utax.com



UTAX recommends the use of original UTAX accessories for trouble-free operation of your system. For recommended print media refer to the user manual. UTAX and the UTAX logo are registered trademarks of UTAX GmbH. All other brand names referred to are registered trademarks of the respective manufacturers.